

- Effects on C-phycocyanin content of *Arthrospira platensis* of culture medium containing geothermal water

Natural Science and Discovery (www.natscidiscovery.com) is an international open access, peer-reviewed scientific research journal that provides rapid publication of articles in all disciplines of Natural science such as Physics, Mathematics, Chemistry, Biology, Engineering, Nanotechnology

The policy of top priority of NSD is to put forward and highlight medical innovations and inspiring patents

NSD offers an exceptionally fast publication schedule including prompt peer-review by the experts in the field and immediate publication upon acceptance.

The editorial board aims at reviewing the submitted articles as fast as possible and promptly including them in the forthcoming issues.

This journal is published under ethical publishing policy of international scientific ethical and publication rules. NSD supports the Open Access Initiative. Abstracts and full texts (HTML and PDF format) of all articles published by NSD are freely accessible to Researchers, Scientist, the Public and other users to view, download and share, immediately upon publication

Editor-in-Chief

Prof. Dr. Bektas TEPE, Kilis 7 Aralik University, TR

Natural Science and Discovery is an international open access, peer-reviewed scientific research journal. All concession and copyrights belonging to Lycia Press as Founder

ISSN: 2149-6307 (Print) E-ISSN: 2149-6307 (Online)

Category: Multi Disciplinary Life Science Journal

Abbreviated key title: Nat. Sci. Discov.

Frequency: Sessional (March, June, September, December)

Review System: Blind Peer Review

Circulation: Globally, Online, Printed

Article Processing Charge (APC): Free

Licensing: CC-BY-NC 4.0 International License Environmental

Editor-in-Chief: Bektas Tepe (Ph.D.) Kilis 7 Aralik University | Kilis, TR

Deputy Editor: Cengiz Sarikurkcü (Ph.D.) Afyonkarahisar Health Science University, Afyonkarahisar, TR

Established: 30.04.2015

Web address: www.natscidiscovery.com

E-mail : editor [at] natscidiscovery.com

Design and preparation of PDFs, Language editing, Web site design, Graphical design Services of international Journal of Natural Science and Discovery has been contracted with Lycia Press LONDON, UK (as Publisher), by the NSD Board of Directors

Publisher: Lycia Press Inc.

Address: 3rd Floor 86 - 90 Paul Street, EC2A 4NE, London, UK

Web address: www.lycians.com

Phone : +44 776 090 21 25

E-mail : office [at] lycians.com

E-mail : info [at] lycians.com

Editor in Chief

Dr. Bektas TEPE Kilis 7 Aralik University, TR

Deputy Editor

Dr. Cengiz Sarikurcu Afyonkarahisar Health Science University, Afyonkarahisar, TR

Editorial Board Members

Dr. Erman Salih ISTIFLI	Cukurova University, TR
Dr. Arzuhan SIHOGLU TEPE	Kilis 7 Aralik University,TR
Dr. Filiz UCAN TURKMEN	Kilis 7 Aralik University,TR
Dr. Gokhan ZENGİN	Selcuk University, TR
Dr. Ryszard AMAROWICZ	Polish Academy of Sciences, PL
Dr. Mejdi SNOUSSI	Hail Universityi KSA
Dr. Yeliz YUKSELEN AKSOY	Dokuz Eylul University, TR
Dr. Deniz TAKCI	Kilis 7 Aralik University,TR

Lycia Press London Office

Assist. Elena JALBA	Reading University, London UK. Language Editor
Typist Office Lycia Press	office@lycians.com
Web Web Lycia Press	info@lycians.com

Instruction for Authors

- **Ensure that the following items are present:**
- One author has been designated as the corresponding author with contact details:
- E-mail address
- Full postal address
- All necessary files have been sent to the editorial office:
- Manuscript
- Include keywords
- All figures (include relevant captions)
- All tables (include titles, description, footnotes)
- Ensure all figure and table citations in the text match the files provided
- Supplementary files (where applicable)
- **Further considerations**
- The manuscript fits within Aims and Scope of International Journal of Plant Based Pharmaceuticals. Please note that the Aims and Scope are regularly updated.
- The research is novel and has not been published previously (please see ‘Responsible Research Publication: International Standards for Authors’ from COPE for more information.
- Ethical consent has been obtained in case of work on animals and/or humans.
- Manuscript has been ‘spell checked’ and ‘grammar checked’.
- All references mentioned in the Reference List are cited in the text and vice versa.
- Permission has been obtained for use of copyrighted material from other sources (including the Internet).
- A competing interests statement is provided, even if the authors have no competing interests to declare.
- Journal policies detailed in this guide have been reviewed.
- Referee suggestions and contact details provided, based on journal requirements.
- **Types of paper**

Instruction for Authors

- **1. Original research papers**
 - Original full-length research papers that have not been published previously, except in a preliminary form and should not exceed 7.500 words from introduction to conclusion (not including references) (including no more than six tables and figures combined-additional tables and figures can be submitted as supplementary material).
- **2. Review articles**
 - Review articles (will be accepted in areas of topical interest) will normally focus on literature published over the previous years and should not exceed 10.000 words from introduction to conclusion (not including references) (including allowance for no more than six tables and figures combined). Review articles should not contain more than 120 references. If it is felt absolutely necessary to exceed these numbers (tables, figures, references), please contact the editorial office (editor_ijbpb@kilis.edu.tr) for advice before submission.
- **3. Short communications**
 - Short communications of up to 3.000 words from introduction to conclusion (not including references), describing work that may be of a preliminary nature but merits publication. These paper should not contain more than 40 references.
- **4. Letters to the Editor/Commentary**
 - Letters are published from time to time on matters of topical interest.
- **Special issues**
 - If you would like to suggest a special issue, please contact our editorial office (editor_ijbpb@kilis.edu.tr) with a proposal for the special issue including the rationale for the special issue topic, potential contributors and how you plan to attract high quality papers. Before submitting you proposal, please read our Guide for Guest Editors.
- **Ethics in publishing**
 - The publication of an article in a peer-reviewed journal is an essential building block in the development of a coherent and respected network of knowledge. It is a direct reflection of the quality of the work of the authors and the institutions that support them. Peer-reviewed articles support and embody the scientific method.
 - It is therefore important to agree upon standards of expected ethical behavior for all parties involved in the act of publishing: the author, the journal editor, the peer reviewer, the published and the society of society-owned or sponsored journals.
 - The total similarity rate of the articles sent to NSD should not exceed 25% and the similarity rate to each source should not exceed 5%.
- **Conflict of interest**
 - All authors must disclosure any financial and personal relationships with other people or organizations that could inappropriately influence (bias) their work. Examples of potential competing interests include employment, consultancies, stock ownership, honoraria, paid expert testimony, patent applications/registrations and grants or other funding. Authors should present the conflict of interest statement in the manuscript right after the 'Acknowledgment' section. If there is no interests to declare, please choose: 'Conflict of interest: none'. This summary statement will be published within the article if accepted.

Instruction for Authors

- **Submission declaration and verification**

- Submission of an article implies that the work described has not been published previously (except in the form of an abstract, a published lecture or academic thesis), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out and that, if accepted, it will not be published elsewhere in the same form, in English or any other language, including electronically without the written consent of the copyright-holder. To verify originality, your article may be checked by the originality detection service Crossref Similarity Check.

- **Use of inclusive language**

- Inclusive language acknowledges diversity, conveys respect to all people, is sensitive to differences and promotes equal opportunities. Articles should make no assumptions about the beliefs or commitments of any reader, should contain nothing which might imply that one individual is superior to another on the grounds of race, sex, culture or any other characteristics and should use inclusive language throughout. Authors should ensure that writing is free from bias, for instance by using 'he/she', 'his/her' instead of 'he' or 'his', and by making use of job titles that free of stereotyping (e.g. 'chairperson' instead of 'chairman' and 'flight attendant' instead of 'stewardness').

- **Author contributions**

- For transparency, we encourage authors to submit an author statement in the manuscript outlining their individual contributions to the paper using the relevant CRediT roles:

- Conceptualization
- Data curation
- Formal analysis
- Funding acquisition
- Investigation
- Methodology
- Project administration
- Resources
- Software
- Supervision
- Validation
- Visualization
- Writing
- Review & Editing

Instruction for Authors

- **Roles**
- Writing original draft
- Writing-reviewing & editing
- Authors statements should be formatted with the initials of the names of authors (e.g. T.H. for Thomas Hunt) and Credit role(s).
- Changes to authorship
- All authors should have made substantial contributions to all of the following:
- The conception and design of the study or acquisition of data or analysis and interpretation of data.
- Drafting the article or revising it critically for important intellectual content.
- **Final approval of the version to be submitted.**
- If all 3 of these conditions are not met, a person does not qualify as an author and any contribution made by them should be mentioned in the Acknowledgements section of the manuscript.
- Authors are expected to consider carefully the list and order of authors before submitting their manuscript and provide the definitive list of authors at the time of the original submission. Any addition, deletion or rearrangement of author names in the **authorship list should be made only before the manuscript has been accepted and only if approved by the journal editor. To request such a change, the editor must receive the following from the corresponding author:**
- **the reason for the change in author list and**
- **written confirmation (e-mail, letter) from all authors that they agree with the addition, removal or rearrangement**
- **In the case of addition or removal of authors, this includes confirmation from the author being added or removed.**
- **Only in exceptional circumstances will the editor consider the addition, deletion or rearrangement of authors after the manuscript has been accepted. While the editor considers the request, publication of the manuscript will be suspended. If the manuscript has already been published in an online issue, any requests approved by the editor will result in a corrigendum.**
- **Copyright**
- Upon acceptance of an article, authors will be asked to complete an Copyright Transfer Agreement.
- **Role of funding source**
- You are requested to identify who provided financial support for the conduct of the research and/or preparation of the article and to briefly describe the role of the sponsor(s), if any, in study design; in the collection, analysis and interpretation of data; in the writing of the report; and in the decision to submit the article for publication. If the funding source(s) had no such involvement then this should be stated.

Instruction for Authors

- **Submission**

- The manuscript file prepared in .doc/.docx format to be sent to NSD, together with the cover letter and all other attachments, if any, by using the online manuscript submission system.

- **Peer review**

- This journal operates a single anonymized review process. All contributions will be initially assessed by the editor for suitability for the journal. Papers deemed suitable are then typically sent to a minimum of two independent expert reviewers to assess the scientific quality of the paper. The editor is responsible for the final decision regarding acceptance or rejection of articles. The editor's decision is final. Editors are not involved in decisions about papers which they have written themselves or have been written by family members or colleagues or which relate to products or services in which the editor has an interest. Any such submission is subject to all of the journal's usual procedures, with peer review handled independently of the relevant editor and their research groups.

- **Review Policy**

- The editor have the right to decline formal review of a manuscript when it is seemed that the manuscript
- is on a topic outside the scope of the journal
- makes no contribution to the advancement of the field of plant based pharmaceuticals
- is lacking technical or scientific merit
- is focused on the plant based pharmaceuticals that are of narrow regional scope and significance
- is fragmentary and providing marginally incremental results,
- reports only routine work (lacks novelty) or is poorly written.
- Use of word processing software
- It is important that the file be saved in the native format of the word processor used. The text should be in single-column format. Keep the layout of the text as simple as possible. Most formatting codes will be removed and replaced on processing the article. In particular, do not use the word processor's options to justify text or hyphenate words. However, do use bold face, italics, subscripts, superscripts etc. When preparing tables, if yo are using a table grid, use only one grid for each individual table and not a grid for each row. If no grid is used, use tabs, not spaces, to align columns. The electronic text should be prepared in a way very similar to that of conventional manuscripts. Note that source of files and figures, tables and text graphics will be required whether or not you embed your figures in the text. To avoid unnecessary errors you are strongly advised to use the 'spell-check' and 'grammar-check' functions of your word processor.
- Article structure
- Follow this order when typing manuscript: Title, Authors, Affiliations, Abstract (maximum 350 words), Keywords, Main text (Introduction, Material and Methods, Results and Discussion, Conclusion, Acknowledgements, Conflict of interest, CRediT authorship contribution statement, ORCID Numbers of the Authors, References, Tables, Figures and supplementary file (if any). The corresponding author should be identified with an asterisk and footnote. All other footnotes (except for table footnotes) should be identified with superscript numbers. The title of the paper should unambiguously reflect its contents.

Instruction for Authors

- Artwork
- Electronic artwork
- General points
- Make sure you use uniform lettering and sizing of your original artwork.
- Embed the used fonts if the application provides that option.
- Aim to use the following fonts in your illustrations: Arial, Courier, Times New Roman, Symbol, or use fonts that look similar.
- Number the illustrations according to their sequence in the text.
- Use a logical naming convention for your artwork files.
- Size the illustrations close to the desired dimensions of the published version.
- Submit each illustration as a separate file.
- Ensure that color images are accessible to all, including those with impaired color vision.
- **Formats**
- **If** your electronic artwork is created in a Microsoft Office application (Word, PowerPoint, Excel) then please supply 'as is' in the native document format.
- Regardless of the application used other than Microsoft Office, when your electronic artwork is finalized, please 'Save as' or convert the images to one of the following formats (note the resolution requirements for line drawings, halftones, and line/halftone combinations given below):
- EPS (or PDF): Vector drawings, embed all used fonts.
- TIFF (or JPEG): Color or grayscale photographs (halftones), keep to a minimum of 300 dpi.
- TIFF (or JPEG): Bitmapped (pure black & white pixels) line drawings, keep to a minimum of 1000 dpi.
- TIFF (or JPEG): Combinations bitmapped line/half-tone (color or grayscale), keep to a minimum of 500 dpi.
- **Please do not:**
- Supply files that are optimized for screen use (e.g., GIF, BMP, PICT, WPG); these typically have a low number of pixels and limited set of colors;
- Supply files that are too low in resolution;
- Submit graphics that are disproportionately large for the content.

Instruction for Authors

- **Color artwork**

- Please make sure that artwork files are in an acceptable format (TIFF (or JPEG), EPS (or PDF) or MS Office files) and with the correct resolution. If, together with your accepted article, you submit usable color figures then our editorial office will ensure, at no additional charge, that these figures will appear in color online (e.g., ScienceDirect and other sites).

- **Figure Captions**

- Ensure that each illustration has a caption. A caption should comprise a brief title (not on the figure itself) and a description of the illustration. Keep text in the illustrations themselves to a minimum but explain all symbols and abbreviations used.

- **Tables**

- Please submit tables as editable text and not as images. Tables can be placed either next to the relevant text in the article, or on separate page(s) at the end. Number tables consecutively in accordance with their appearance in the text and place any table notes below the table body. Be sparing in the use of tables and ensure that the data presented in them do not duplicate results described elsewhere in the article. Please avoid using vertical rules and shading in table cells.

- **References**

- Please note: EndNote users can download NSD's style file [here](#).

- **Citation in text**

- Please ensure that every reference cited in the text is also present in the reference list (and vice versa). Any references cited in the abstract must be given in full. Unpublished results and personal communications are not recommended in the reference list, but may be mentioned in the text. If these references are included in the reference list they should follow the standard reference style of the journal and should include a substitution of the publication date with either 'Unpublished results' or 'Personal communication'. Citation of a reference as 'in press' implies that the item has been accepted for publication.

- **Reference links**

- Increased discoverability of research and high quality peer review are ensured by online links to the sources cited. In order to allow us to create links to abstracting and indexing services, such as Scopus, CrossRef and PubMed, please ensure that data provided in the references are correct. Please note that incorrect surnames, journal/book titles, publication year and pagination may prevent link creation. When copying references, please be careful as they may already contain errors. Use of the DOI is highly encouraged.

- A DOI is guaranteed never to change, so you can use it as a permanent link to any electronic article. An example of a citation using DOI for an article not yet in an issue is: VanDecar J.C., Russo R.M., James D.E., Ambeh W.B., Franke M. (2003). Aseismic continuation of the Lesser Antilles slab beneath northeastern Venezuela. *Journal of Geophysical Research*, <https://doi.org/10.1029/2001JB000884>.

- Please note the format of such citations should be in the same style as all other references in the paper.

- **Web references**

Instruction for Authors

- As a minimum, the full URL should be given and the date when the reference was last accessed. Any further information, if known (DOI, author names, dates, reference to a source publication, etc.), should also be given. Web references can be listed separately (e.g., after the reference list) under a different heading if desired, or can be included in the reference list.
- Data references
- This journal encourages you to cite underlying or relevant datasets in your manuscript by citing them in your text and including a data reference in your Reference List. Data references should include the following elements: author name(s), dataset title, data repository, version (where available), year, and global persistent identifier. Add [dataset] immediately before the reference so we can properly identify it as a data reference. The [dataset] identifier will not appear in your published article.
- References in a special issue
- Please ensure that the words 'this issue' are added to any references in the list (and any citations in the text) to other articles in the same Special Issue.
- Reference management software
- Most of the journals have their reference template available in many of the most popular reference management software products. These include all products that support Citation Style Language styles, such as Mendeley. Using citation plug-ins from these products, authors only need to select the appropriate journal template when preparing their article, after which citations and bibliographies will be automatically formatted in the journal's style. If no template is yet available for this journal, please follow the format of the sample references and citations as shown in this Guide. If you use reference management software, please ensure that you remove all field codes before submitting the electronic manuscript.
- Reference style
- Text: Citations in the text should follow the referencing style used by the American Psychological Association. You are referred to the Publication Manual of the American Psychological Association, Seventh Edition, ISBN 978-1-4338-3215-4, copies of which may be ordered online.
- List: References should be arranged first alphabetically and then further sorted chronologically if necessary. More than one reference from the same author(s) in the same year must be identified by the letters 'a', 'b', 'c', etc., placed after the year of publication.
- Examples:
- Reference to a journal publication:
- Van der Geer, J., Hanraads, J.A.J., Lupton, R.A., 2010. The art of writing a scientific article. *Journal of Scientific Communications*, 163, 51–59.
- Reference to a journal publication with an article number:
- Van der Geer, J., Hanraads, J.A.J., Lupton, R.A., 2018. The art of writing a scientific article. *Heliyon*, 19, Article e00205.

Instruction for Authors

- Reference to a book:
- Strunk, W., Jr., White, E.B., 2000. The elements of style (4th ed.). Longman (Chapter 4).
- Reference to a chapter in an edited book:
- Mettam, G.R., Adams, L.B., 2009. How to prepare an electronic version of your article. In B.S. Jones, & R.Z. Smith (Eds.), Introduction to the electronic age (pp. 281–304). E-Publishing Inc.
- Reference to a website:
- Powertech Systems., 2015. Lithium-ion vs lead-acid cost analysis. Retrieved from <http://www.powertechsystems.eu/home/tech-corner/lithium-ion-vs-lead-acid-cost-analysis/>. Accessed January 6, 2016.
- Reference to a dataset:
- [dataset] Oguro, M., Imahiro, S., Saito, S., Nakashizuka, T., 2015. Mortality data for Japanese oak wilt disease and surrounding forest compositions. Mendeley Data, v1.
- Reference to a conference paper or poster presentation:
- Engle, E.K., Cash, T.F., Jarry, J.L., 2009, November. The Body Image Behaviours Inventory-3: Development and validation of the Body Image Compulsive Actions and Body Image Avoidance Scales. Poster session presentation at the meeting of the Association for Behavioural and Cognitive Therapies, New York, NY.
- Reference to software:
- Coon, E., Berndt, M., Jan, A., Svyatsky, D., Atchley, A., Kikinzon, E., Harp, D., Manzini, G., Shelef, E., Lipnikov, K., Garimella, R., Xu, C., Moulton, D., Karra, S., Painter, S., Jafarov, E., Molins, S., 2020, March 25. Advanced Terrestrial Simulator (ATS) v0.88 (Version 0.88). Zenodo. <https://doi.org/10.5281/zenodo.3727209>.
- Journal abbreviations
- Journal names should not be abbreviated.
- **Supplementary material**
- Supplementary material such as applications, images and sound clips, can be published with your article to enhance it. Submitted supplementary items are published exactly as they are received (Excel or PowerPoint files will appear as such online). Please submit your material together with the manuscript (at the end of the manuscript) and supply a concise, descriptive caption for each supplementary file. If you wish to make changes to supplementary material during any stage of the process, please make sure to provide an updated file. Do not annotate any corrections on a previous version. Please switch off the 'Track Changes' option in Microsoft Office files as these will appear in the published version.

Instruction for Authors

- **Proof correction**
- To ensure a fast publication process of the article, we kindly ask authors to provide us with their proof corrections within two days. Corresponding authors will receive an e-mail containing proof produced by our editorial office and will review this file and identify the sections to be corrected. We will do everything possible to get your article published quickly and accurately. Please use this proof only for checking the typesetting, editing, completeness and correctness of the text, tables and figures. Significant changes to the article as accepted for publication will only be considered at this stage with permission from the editor. It is important to ensure that all corrections are sent back to us in one communication. Please check carefully before replying, as inclusion of any subsequent corrections cannot be guaranteed. Proofreading is solely your responsibility.
- **Access to the final version of the article**
- The corresponding author will be notified and receive a link to the published version of the open access article at <https://ijbbp.com/>. This link is in the form of an article DOI link that can be shared via email and social networks.

Contents

Original Article

- 1 Effects on C-phycocyanin content of *Arthrospira platensis* of culture medium containing geothermal water
Betul Kut Guroy, Sibey Bayil Oguzkan



RESEARCH ARTICLE

Effects on C-phycoyanin content of *Arthrospira platensis* of culture medium containing geothermal waterBetül Kut Guroy^a, Sibel Bayil Oguzkan^{b,*}^a Yalova University, Armutlu Vocational School, Food Processing Technology Department, Yalova, TR^b Gaziantep University, Vocational School of Health Services, Department of Medical Services and Techniques, Gaziantep, TR

ARTICLE INFO

Article History:

Received: 28 July 2021

Revised: 20 August 2021

Accepted: 20 August 2021

Available online: 22 August 2021

Edited by: B. Tepe

Keywords:

Arthrospira platensis

Geothermal water

C-phycoyanin

Freeze-drying

Purity ratio

ABSTRACT

This research aimed to compare effects on product quality and algal growth of inoculation ratio of *Arthrospira platensis* in the culture medium containing 20% geothermal water. *A. platensis* was inoculated at the ratio of 1/6, 1/10, and 1/20 of nutrient medium volume (2500 mL). The experiment medium was prepared with 20% geothermal water and 80% distilled water. Schlösser medium, 100% geothermal water medium, and 100% distilled water were used as the control group. At the end of the experiment, Spirulina biomass was obtained by filtration through 80-micron plankton cloth and freeze-dried at -60 °C. Increasing inoculation density shortened the culture time and increased the growth rate compared to the other groups. The best growth among the experimental groups was obtained in a 1/6 ratio inoculated Spirulina group in a 20% geothermal water medium. Among the experimental groups, dry biomass was obtained in the Spirulina group inoculated at 1/6 in only 20% geothermal water medium. The optical density value was 0.989 (A_{750}), and the biomass yield was 0.476 g/L in the experimental group, the highest among the Schlösser groups was 1.259 (A_{750}), and the biomass yield was 0.928 g/L. The most efficient growth and phycocyanin content was determined in the 1/6 inoculated groups. The phycocyanin content in the experimental group was found in 22.49%, and the purity rate was 2.24. In control groups, 3.73 purity and 28.62% phycocyanin were determined in the Schlösser medium. While 48.42% protein was detected in the geothermal water group, 61.64% was obtained with the Schlösser medium.

© 2021 NSD. Published by Lycia Press London. All rights reserved.

1. Introduction

Arthrospira platensis is one of the critical species belong to Cyanobacteria. *A. platensis* and *A. maxima* are known as "Spirulina" common names. Spirulina is used as "a healthy food source" for humans with nutrient composition (Moejes and Moejes, 2017), for "enrichment of soil" in an agricultural area (Anitha et al., 2016), as "animal feed" in the production of livestock and economic aquatic organism (Chakdar et al., 2012). Spirulina can be contained approximately 46-70% protein and 20% phycocyanin of dry weight (Liong, 2011). Phycocyanin is a natural dye and has a pharmaceutical effect via its pigment-protein complex. Also, phycocyanin can help regulate various essential enzymes needed to synthesize human metabolism, inhibit cancer cell growth, and promote human cell regeneration. Oncologists have recommended phycocyanin due to pharmaceutical effects (Küçük et al., 2017). Nevertheless, the produ-

ction costs are limiting the use of Spirulina in these areas. Spirulina production with high efficiency at low-costs is one of the most critical areas studied. The most essential shareholders between production costs cover components of culture medium. NaHCO_3 is a macro component affecting the price of Spirulina culture. Schlösser medium (Schlösser, 1994) and Zarrouk medium (Zarrouk, 1966) are practicable for Spirulina cultivation that contains 13.61 g and 16.8 g NaHCO_3 per liter, respectively.

The geothermal water of Armutlu (Yalova, Turkey) can be characterized as a culture medium of *A. platensis* due to contains micro and macronutrients. Geothermal water can have significant macro and micronutrients required for microalgae cultivation and are an important potential for Spirulina production as a culture medium. This research was conducted to perform Spirulina production that can be harvested with a culture medium containing 20% geothermal water and 80% distilled water and to evaluate geothermal water as Spirulina culture medium.

2. Materials and methods

* Corresponding author:

E-mail address: bayil@gantep.edu.tr (S. Bayil Oguzkan)

ISSN: 2149-6307

doi: <http://dx.doi.org/10.20863/nsd.v4i3.61>

© 2021 NSD. Published by Lycia Press London. All rights reserved.

2.1. Culture conditions

The geothermal water used for *Spirulina* culture was obtained from wells in Armutlu-Yalova of Turkey (Armutlu, Turkey, 40°31'10"N/28°49'41"E). *A. platensis* was inoculated into standard mineral medium (Schlösser, 1994) and cultured in an orbital shaker for 13 days, illuminated at 1000 lux and cultured at 30 °C and reached a density of 1.34 (A_{750}) (Gomont, 1893). In all experimental groups, *A. platensis* was inoculated with an optical density of 1.34 in the starter cultures. Some components of Armutlu geothermal water and Schlösser *Spirulina* medium are shown in Table 1.

Table 1. Some nutrient components of experiment culture medium

Medium	pH	NaHCO ₃ (mg/L)	NO ₃ (mg/L)
Schlösser <i>Spirulina</i> Medium	8.34	16.8	2.5
Pure geothermal water	7.2	1140.0	11.0
20% geothermal water	7.3	228.7	2.2

2.2. Trial design

The trial was composed of 12 experimental groups, and two replicates were designed. *A. platensis* was inoculated at 1/6, 1/10, and 1/20 of the culture medium volume (2500 mL). 100% distilled water, 100% geothermal water, and Schlösser *Spirulina* medium (Schlösser, 1994) were used as the control group. In the experimental group, 80% distilled water with 20% geothermal water mixture was prepared in 2500 mL volume. All groups were designed to duplicate. The pH of the prepared formulation was measured as 8.11.

%20 geothermal water replacement group instead of Schlösser *Spirulina* medium was not prepared. Each group was cultured in a 5 L erlenmeyer for 19 days. The temperature, pH, and optical density values of the culture medium (A_{750}) were measured and recorded daily.

2.3. Harvesting of *A. platensis*

At the end of the experiment, *Spirulina* biomass was obtained by filtering from 80-micron plankton cloth. The harvested biomass was dried at -60 °C by freeze-drying method. *Spirulina* powder was obtained by using the grinder mill after freeze-drying.

2.4. Analysis of *Spirulina*

The protein content of *Spirulina* was determined by Thiex et al. (2002). The spectrometrical method was performed via phycocyanin analysis. C-phycocyanin content was calculated according to Setyoningrum and Nur (2015) and Boussiba and Richmond (1979). Phycocyanin has a single visible absorbance maximum between 615 and 620 nm. The method followed is to extract blue supernatant; the dry weight of *Spirulina* powder was calculated after dried in the oven at 80 °C for six h. To determine the percentage of phycocyanin, 40 mg of *Spirulina* was weighed, 10 mL of phosphate buffer (100 mM) added and stirred until complete dissolution. The samples were stored in the refrigerator at 4 °C overnight. The samples were subsequently mixed in the centrifuge at 10 °C, at 3500 rpm for 5 min. After centrifugation, blue supernatant was reserved for spectrophotometric analysis. The analysis procedure was conducted in triplicate. After centrifuge, blue supernatant was separated from residue. The absorbance value of blue supernatant was read in a spectrophotometer at 620 nm using phosphate buffer as blank. Phycocyanin was calculated according to the following equation.

$$\% \text{ C- Phycocyanin} = \frac{[A(620) \times 10 \times 100]}{7,3 \times \text{sample (mg)} \times (\% \text{ dry weight})}$$

$A(620)$ is the absorbance at 620 nm, 10 is the dilution volume, 100 is the representative of 100%, and 3.36 is the extinction coefficient for phycocyanin at 620 nm.

The C-phycocyanin purity ratio is considered the food-grade when A_{620}/A_{280} is ≥ 0.7 , and as the reagent grade when A_{620}/A_{280} is between 0.7 and 3.9; and as an analytical grade when A_{620}/A_{280} is ≥ 4.0 . C-phycocyanin purity ratio was calculated using the spectrophotometry-based method on the absorbance ratio A_{620}/A_{280} (Antelo et al., 2010). Calculations of purity ratio are given below;

$$\text{C-phycocyanin purity ratio} = A(620)/A(280)$$

The data obtained from the experiment were subjected to a one-way analysis of variance.

3. Results and discussion

Only the group inoculated of 1/6 ratio in 20% geothermal water was successfully grown and harvested among the experimental groups. In all groups of Schlösser medium was observed successful culture growth. The best culture growth among the experimental groups was obtained in the group, which was 1/6. The optical density changes during the experiments are shown in Figure 1, Figure 2 and Figure3, Figure 4, Figure 5, and Figure 6. During the trial, the temperature was measured at 26-28 °C. The pH values in the successful experimental group (Figure 7) were higher than the control groups with 1/10 (Figure 11) and 1/20 (Figure 12) inoculating. The changes in pH are shown in Figure 7, Figure 8, Figure 9, Figure10, Figure 11, and 12. In the 1/20 inoculated experimental group, both the retention phase lasted longer, and the lowest growth was observed. Successful culture growth could not be achieved in 1/10 and 1/20 inoculated experiment groups. When harvested on day 19, in the 1/6 experimental group, the optical density (Figure 1) value was determined as 0.989 (A_{750}), and the yield of biomass was 0.478 g. In 1/6 Schlösser medium, 1.259 (A_{750}) optical density (Figure 4) and 0.928 g/L yield of biomass was found. In 1/10 and 1/20 groups of Schlösser, optical density and dry biomass yield were found 1.24 (A_{750}) (Figure 5) and 0.528 g/L and 1.06 (A_{750}) (Figure 6) and 0.428 g/L, respectively.




Figure 1. Variation of optical density with 1:5 inoculation ratio




Figure 2. Variation of optical density with 1:10 inoculation




Figure 6. Variation of optical density with 1:20 inoculation




Figure 3. Variation of optical density with 1:20 inoculation




Figure 7. pH evolution during the cultivations in 1:5 group




Figure 4. Variation of optical density with 1:5 inoculation




Figure 8. pH evolution during the cultivations in 1:10 group




Figure 5. Variation of optical density with 1:10 inoculation




Figure 9. pH evolution during the cultivations in 1:20 group




Figure 10. pH evolution during the cultivations in 1:5 group




Figure 11. pH evolution during the cultivations in 1:10 group




Figure 12. pH evolution during the cultivations in 1:20 group

Phycocyanin, a blue pigment, can be easily extracted from *Spirulina*. The purity of phycocyanin is an essential factor that determines its application area. The C-phycocyanin purity ratio is considered as the food-grade when A_{620}/A_{280} is ≥ 0.7 , and as the reagent grade when A_{620}/A_{280} is between 0.7 and 3.9, and as an analytical grade when A_{620}/A_{280} is ≥ 4.0 (Antelo et al., 2010; Kuddus et al., 2013).

The phycocyanin content and purity ratio were found 22.49% and 2.24, respectively, in the 1/6 experimental group. 3.73 purity ratio and 28.62% phycocyanin content were determined in 1/6 inoculated Schlösser group.

Phycocyanin is not a high-temperature resistant pigment (Güroy et al., 2017). The phycocyanin content obtained in this study was extracted from freeze-dried *Spirulina*. Therefore, it was concluded that high-efficiency phycocyanin content (%) was analyzed. However, to reach precise results, it is necessary to carry out the studies of phycocyanin in detail.

Spirulina is one of the best protein sources containing essential amino acids. While 48.42% protein was detected in the geothermal water group, 61.64% was obtained with the Schlösser medium. The protein and phycocyanin values are presented in Table 2.

Table 2. Protein and phycocyanin values of *A. platensis* in different culture medium

Groups	Protein (%)	Phycocyanin (%)	Purity ratio of phycocyanin (A_{620}/A_{280})
1:5 Geothermal medium	48.42 ^b	22.49 ^c	2.24 ^b
1:5 Schlösser medium	61.64 ^a	28.62 ^b	3.73 ^a
1:10 Schlösser medium	58.54 ^a	20.84 ^a	2.20 ^b
1:20 Schlösser medium	59.80 ^a	21.94 ^c	2.37 ^b

In this research, the purity ratio of the phycocyanin obtained in both the experimental and control groups was determined as the reagent grade. Culture growth with 100% distilled water and 100% geothermal water were not observed. However, it can be said that geothermal water continues to give hope based on our unpublished works (Güroy et al., 2018). Moreover, the rate of culture inoculating influenced the growth of the culture. This effect was seen in both control and experiment groups (Figures 1, 2, 3, 4, 5, and 6). Although there was a significant effect in the experimental group, 1/10 and 1/20 inoculating ratios were unsuccessful (Figures 1, 2, and 3). Since the Schlösser nutrient medium contains enough minerals, the inoculation ratio was positively affected. However, the group containing geothermal water was already formulated with distilled water. Therefore, the inadequacy of certain nutrients resulted in each culture being ineffective at a certain inoculation ratio and achieving a low protein value. The results will be different if geothermal water is used instead of Schlösser's medium. The use of geothermal water in *Spirulina* production is carried out globally (Fournadzhieva et al., 2003; Godlewska et al., 2015; Lund and Boyd, 2016). However, the determination of usable geothermal waters in *Spirulina* production is an important research topic.

Geothermal water is a potential energy source for heating the enterprise and drying of *Spirulina* for up to 12 months and potential as a nutrient medium for *Spirulina*.

4. Conclusions

Nowadays, with the awareness of the harmful effects of synthetic compounds and natural products, it has increased to consider microalgae as a natural pigment source. In this study, an acceptable purity ratio was obtained with geothermal water. However, it is advisable to diversify the trials to get a tremendous amount of phycocyanin.

Acknowledgments

The author would like to thank Armutlu Municipality for supporting this work. This study was presented national aquaculture symposium 2017 Sinop, Turkey.

Conflict of Interest

The authors confirm that there are no known conflicts of interest.

CRediT authorship contribution statement

Betul Kut Guroy: Conceptualization, Data curation, Methodology, Resources, Visualization.

Sibel Bayil Oguzkan: Conceptualization, Data curation, Formal analysis, Investigation, Methodology, Resources, Visualization, Writing - original draft.

Zarrouk, C., 1966. Contribution a l'etude d'une cyanobacterie: influence de divers facteurs physiques et chimiques sur la croissance et la photosynthese de *Spirulina maxima* (Setchell et Gardner) Geitler. University of Paris, France.

ORCID IDs of the Authors

B. Kut Guroy: 0000-0002-4298-6256

S. Bayil Oguzkan: 0000-0003-0254-6915

Supplementary file

None.

References

Anitha, L., Bramari, G.S., Kalpana, P., 2016. Effect of supplementation of *Spirulina platensis* to enhance the zinc status in plants of *Amaranthus gangeticus*, *Phaseolus aureus* and tomato. *Advances in Bioscience and Biotechnology*, 7, 289-299.

Antelo, F.S., Anschau, A., Costa, J.A., Kalil, S.J., 2010. Extraction and purification of C-phycocyanin from *Spirulina platensis* in conventional and integrated aqueous two-phase systems. *Journal of the Brazilian Chemical Society*, 21, 921-926.

Boussiba, S., Richmond, A.E., 1979. Isolation and characterization of phycocyanins from the blue-green alga *Spirulina platensis*. *Archives of Microbiology*, 120, 155-159.

Chakdar, H., Jadhav, S.D., Dhar, D.W., Pabbi, S., 2012. Potential applications of blue green algae. *Journal of Scientific & Industrial Research*, 71, 13-20.

Fournadzhieva, S., Bojadzieva, K., Pilarski, P., 2003. Bulgarian experience in aquaculture (microalgae)-cultivation, production and development, European Geothermal Conference Szeged, Hungary, pp. 25-30.

Godlewska, K., Tomaszewska, B., Michalak, I., Bujakowski, W., Chojnacka, K., 2015. Prospects of geothermal water Use in cultivation of *Spirulina*. *Open Chemistry*, 13, 1218-1227.

Gomont, M., 1893. Monographie des Oscillariées (Nostocacées Homocystées). Deuxième partie. - Lyngbyées. *Annales des Sciences Naturelles, Botanique, Série 7*, 16, 91-264.

Güroy, B., Güroy, D., Mantoğlu, S., Karadal, O., Oğuzkan, S., 2018. The Effect of the Geothermal Water on Protein Content of *Spirulina* in Greenhouse Condition, International Agricultural Science Congress, Van-Turkey.

Güroy, B., Karadal, O., Mantoğlu, S., Cebeci, O.I., 2017. Effects of different drying methods on C-phycocyanin content of *Spirulina platensis* powder. *Su Ürünleri Dergisi*, 34, 129-132.

Kuddus, M., Singh, P., Thomas, G., Al-Hazimi, A., 2013. Recent developments in production and biotechnological applications of C-phycocyanin. *BioMed Research International*, 2013, 742-859.

Küçük, Ö., Güney, K., Evcin, Ö., Aktürk, E., 2017. Threat Analysis and Proposed Solutions for Elekdag Wildlife Development Area. *MESMAP-3 ABSTRACT BOOK*, 60.

Liong, M.-T., 2011. *Bioprocess Sciences and Technology*. Nova Science Publ.

Lund, J.W., Boyd, T.L., 2016. Direct utilization of geothermal energy 2015 worldwide review. *Geothermics*, 60, 66-93.

Moejes, F.W., Moejes, K.B., 2017. Algae for Africa: Microalgae as a source of food, feed and fuel in Kenya. *African Journal of Biotechnology*, 16, 288-301.


Schlösser, U.G., 1994. SAG-Sammlung von Algenkulturen at the University of Göttingen Catalogue of Strains 1994. *Botanica Acta*, 107, 113-186.

Setyoningrum, T.M., Nur, M.A., 2015. Optimization of C-phycocyanin production from *S. platensis* cultivated on mixotrophic condition by using response surface methodology. *Biocatalysis and Agricultural Biotechnology*, 4, 603-607.

Thiex, N.J., Manson, H., Anderson, S., Persson, J.-Å., 2002. Determination of crude protein in animal feed, forage, grain, and oilseeds by using block digestion with a copper catalyst and steam distillation into boric acid: collaborative study. *Journal of AOAC International*, 85, 309-317.

NSD

Natural Science & Discovery



International Journal of
Natural Science and Discovery
Open Access Scientific Journal
ISSN: 2149-6307
Lycia Press LONDON U.K.
www.natscidiscovery.com



lycians

www.lycians.com